

CYJV2.E302391

Cable Assemblies and Fittings for Industrial Control and Signal Distribution - Component

[Page Bottom](#)

Cable Assemblies and Fittings for Industrial Control and Signal Distribution - Component

[See General Information for Cable Assemblies and Fittings for Industrial Control and Signal Distribution - Component](#)

FRANZ BINDER GMBH & CO. ELEKTRISCHE BAUELEMENTE KG
ROETELSTRASSE 27
74172 NECKARSULM, GERMANY

E302391

Panel-mounted conductor fittings, Series 820, Cat. Nos. 09 2447 00 03, 09 2447 100 03, 09 2447 300 03, 09 2447 310 03, 09 2447 320 03, 09 2446 00 03, 09 2446 100 03, 09 2446 300 03, 09 2446 310 03, 09 2446 320 03, 09 2449 00 04, 09 2449 100 04, 09 2449 300 04, 09 2449 310 04, 09 2449 320 04, 09 2449 325 04, 09 2448 00 04, 09 2448 100 04, 09 2448 300 04, 09 2448 310 04, 09 2448 320 04, 09 2451 00 05, 09 2451 100 05, 09 2451 300 05, 09 2451 310 05, 09 2451 320 05, 09 2450 00 05, 09 2450 100 05, 09 2450 300 05, 09 2450 310 05, 09 2450 320 05, 09 2446 330 03, 09 2247 330 03, 09 2446 180 03, 09 2447 180 03, 09 2248 330 04, 09 2449 330 04, 09 2448 180 04, 09 2449 180 04, 09 2450 330 05, 09 2451 330 05, 09 2450 180 05, 09 2451 180 05.

Female cable fitting straight, Cat. Nos. 99-2440-12-03, 99-2440-21-03, 99-2440-32-03, 99-2440-42-03, 99-2440-282-03, 99-2442-12-04, 99-2442-21-04, 99-2442-32-04, 99-2442-42-04, 99-2442-282-04, 99-2444-12-05, 99-2444-21-05, 99-2444-23-05, 99-2444-32-05, 99-2444-33-05, 99-2444-42-05, 99-2444-43-05, 99-2444-282-05.

Male cable fitting straight, Cat. Nos. 99-2441-12-03, 99-2441-21-03, 99-2441-32-03, 99-2441-42-03, 99-2441-282-03, 99-2443-12-04, 99-2443-21-04, 99-2443-32-04, 99-2443-42-04, 99-2443-282-04, 99-2445-12-05, 99-2445-21-05, 99-2445-23-05, 99-2445-32-05, 99-2445-33-05, 99-2445-42-05, 99-2445-43-05, 99-2445-282-05.

Female cable fitting right angle, Cat. Nos. 99-2440-52-03, 99-2440-62-03, 99-2440-72-03, 99-2442-52-04, 99-2442-62-04, 99-2442-72-04, 99-2444-52-05, 99-2444-62-05, 99-2444-63-05, 99-2444-72-05, 99-2444-73-05.

Male cable fitting right angle, Cat. Nos. 99-2441-52-03, 99-2441-62-03, 99-2441-72-03, 99-2443-52-04, 99-2443-62-04, 99-2443-72-04, 99-2445-52-05, 99-2445-62-05, 99-2445-63-05, 99-2445-72-05, 99-2445-73-05.

Female cable fittings, Series 714, Cat. Nos. 09-0440-010-04, 99-0440-016-04, 09-0440-000-04.

Inlets, Series 714, Cat. Nos. 09-0441-081-04, 09-0441-090-04.

Series 825, Cat. No. 09-5245-00-04.

Series 715, Cat. No. 09-5242-00-04.

Female cable fittings, Series 825, Cat. Nos. 99-3730-810-04, 99-3728-810-04, 99-3730-820-04, 99-3728-820-04, 09-5246-00-04.

Series 715, Cat. Nos. 99-1430-810-04, 99-1436-810-05, 99-1436-910-05, 99-1436-935-05, 99-1438-810-05, 99-1438-910-05, 99-1430-995-04, 99-1436-995-05, 99-1430-820-04, 99-1436-820-05, 99-1436-920-05, 99-1438-820-05, 99-0430-15-04, 99-0430-110-04, 99-0436-15-05, 99-0436-110-05, 99-0430-05-04, 99-0430-165-04, 99-0436-05-05, 99-0436-165-05.

Series 713, Cat. Nos. 99-0430-10-04, 99-0430-30-04, 99-0430-57-04, 99-0436-10-05, 99-0436-57-05, 99-0430-07-04, 99-0430-158-04, 99-0430-14-04, 99-0430-12-04, 99-0436-14-05, 99-0436-12-05, 99-0486-12-08, 99-0492-12-12, 99-0430-82-04, 99-0430-282-04, 99-0436-82-05, 99-0436-282-05, 99-0486-282-08, 99-0430-142-04, 99-0436-142-05, 99-0430-287-04, 99-0436-287-05, 99-0486-287-08, 99-0430-00-04, 99-0430-20-04, 99-0430-69-04, 99-0430-68-04, 99-0436-00-05, 99-0436-69-05, 99-0430-27-04, 99-0430-161-04, 99-0430-24-04, 99-0430-52-04, 99-0436-24-05, 99-0436-52-05, 99-0492-52-12, 99-0430-92-04, 99-0430-292-04, 99-0436-92-05, 99-0436-292-05, 99-1430-814-04, 99-1430-812-04, 99-1436-814-05, 99-1436-812-05, 99-1486-812-08, 99-1492-812-12, 99-1486-914-08, 99-1432-814-04, 99-1438-814-05, 99-1488-814-08, 99-1488-812-08, 99-1430-991-04, 99-1430-992-04, 99-1436-991-05, 99-1436-992-05, 99-1486-992-05, 99-1430-824-04, 99-1430-822-04, 99-1436-824-05, 99-1436-822-05, 99-1492-822-12, 99-1432-824-04, 99-1438-824-05.

Male cable fittings, Series 825, Cat. Nos. 99-3729-810-04, 99-3727-810-04, 99-3729-995-04, 99-3729-820-04, 99-3727-820-04, 09-5245-00-04.

Series 715, Cat. Nos. 99-1429-810-04, 99-1437-810-05, 99-1437-910-05, 99-1437-935-05, 99-1439-810-05, 99-1439-910-05, 99-1429-995-04, 99-1437-995-05, 99-1429-820-04, 99-1437-820-05, 99-1437-920-05, 99-1439-820-05, 99-0429-15-04, 99-0429-105-04, 99-0437-15-05, 99-0437-105-05, 99-0429-135-04, 99-0429-145-04, 99-0437-135-05, 99-0437-145-05.

Series 713, Cat. Nos. 99-0429-43-04, 99-0429-57-04, 99-0437-43-05, 99-0437-57-05, 99-0429-07-04, 99-0429-158-04, 99-0429-14-04, 99-0429-12-04, 99-0437-14-05, 99-0437-12-05, 99-0487-12-08, 99-0491-12-12, 99-0429-82-04, 99-0429-282-04, 99-0437-82-05, 99-0437-282-05, 99-0487-282-08, 99-0429-142-04, 99-0437-142-05, 99-0429-186-04, 99-0437-186-05, 99-0487-186-08, 99-0429-287-04, 99-0437-287-05, 99-0487-287-08, 99-0429-44-04, 99-0429-20-04, 99-0437-44-05, 99-0429-27-04, 99-0429-161-04, 99-0429-24-04, 99-0429-52-04, 99-0437-24-05, 99-0437-52-05, 99-0491-52-12, 99-0429-92-04, 99-0429-292-04, 99-0437-92-05, 99-0437-292-05, 99-0429-162-04, 99-0437-162-05, 99-0429-286-04, 99-0437-286-05, 99-1429-814-04, 99-1429-812-04, 99-1437-814-05, 99-1437-812-05, 99-1487-812-08, 99-1491-812-12, 99-1487-914-08, 99-1431-814-04, 99-1439-814-05

, 99-1489-814-08, 99-1489-812-08, 99-1429-991-04, 99-1429-992-04, 99-1437-991-05, 99-1437-992-05, 99-1487-992-08, 99-1429-824-04, 99-1429-822-04, 99-1437-824-05, 99-1437-822-05, 99-1491-822-12, 99-1431-824-04, 99-1439-824-05.

Outlet, Series 825, Cat. No. 09-5246-00-04.

Cable assemblies, Series 423. Female cable connector with cable clamp, shieldable, size: 4 - 6mm, 6 - 8mm. Female cable connector, short version size: 4-8 mm. Female cable connector with shielding ring, size: 4 - 6mm, 6 - 8mm, 8-10mm. Female angled connector, shieldable size: 4 - 6mm, 6 - 8mm. Female socket solder connector. Size : 2-24 pole. Male angled connector, shieldable size: 4 - 6mm, 6 - 8mm. Male cable connector with cable clamp, shieldable size: 4 - 6mm, 6 - 8mm. Male cable connector, short version size: 4-8 mm. Male cable connector with shielding ring, size: 4 - 6mm, 6 - 8mm, 8-10mm. Male socket solder connector. Size : 2-24 pole.

Female socket, solder connector front fastened, size: 2-24 pole.

Female socket, dip solder, front fastened, size: 2-24 pole.

Male socket, solder connector front fastened, size: 2-24 pole.

Male socket, dip solder, front fastened, size: 2-24 pole.

Marking: Company name and catalog or series designation on device or carton.

Last Updated on 2013-01-24

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".



CYJV8.E302391

Cable Assemblies and Fittings for Industrial Control and Signal Distribution
Certified for Canada - Component[Page Bottom](#)Cable Assemblies and Fittings for Industrial Control and Signal Distribution
Certified for Canada - Component[See General Information for Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada - Component](#)

FRANZ BINDER GMBH & CO. ELEKTRISCHE BAUELEMENTE KG
ROETELSTRASSE 27
74172 NECKARSULM, GERMANY

E302391

Panel-mounted conductor fittings, Series 820, Cat. Nos. 09 2447 00 03, 09 2447 100 03, 09 2447 300 03, 09 2447 310 03, 09 2447 320 03, 09 2446 00 03, 09 2446 100 03, 09 2446 300 03, 09 2446 310 03, 09 2446 320 03, 09 2449 00 04, 09 2449 100 04, 09 2449 300 04, 09 2449 310 04, 09 2449 320 04, 09 2449 325 04, 09 2448 00 04, 09 2448 100 04, 09 2448 300 04, 09 2448 310 04, 09 2448 320 04, 09 2451 00 05, 09 2451 100 05, 09 2451 300 05, 09 2451 310 05, 09 2451 320 05, 09 2450 00 05, 09 2450 100 05, 09 2450 300 05, 09 2450 310 05, 09 2450 320 05, 09 2446 330 03, 09 2247 330 03, 09 2446 180 03, 09 2447 180 03, 09 2248 330 04, 09 2449 330 04, 09 2448 180 04, 09 2449 180 04, 09 2450 330 05, 09 2451 330 05, 09 2450 180 05, 09 2451 180 05.

Female cable fitting straight, Cat. Nos. 99-2440-12-03, 99-2440-21-03, 99-2440-32-03, 99-2440-42-03, 99-2440-282-03, 99-2442-12-04, 99-2442-21-04, 99-2442-32-04, 99-2442-42-04, 99-2442-282-04, 99-2444-12-05, 99-2444-21-05, 99-2444-23-05, 99-2444-32-05, 99-2444-33-05, 99-2444-42-05, 99-2444-43-05, 99-2444-282-05.

Male cable fitting straight, Cat. Nos. 99-2441-12-03, 99-2441-21-03, 99-2441-32-03, 99-2441-42-03, 99-2441-282-03, 99-2443-12-04, 99-2443-21-04, 99-2443-32-04, 99-2443-42-04, 99-2443-282-04, 99-2445-12-05, 99-2445-21-05, 99-2445-23-05, 99-2445-32-05, 99-2445-33-05, 99-2445-42-05, 99-2445-43-05, 99-2445-282-05.

Female cable fitting right angle, Cat. Nos. 99-2440-52-03, 99-2440-62-03, 99-2440-72-03, 99-2442-52-04, 99-2442-62-04, 99-2442-72-04, 99-2444-52-05, 99-2444-62-05, 99-2444-63-05, 99-2444-72-05, 99-2444-73-05.

Male cable fitting right angle, Cat. Nos. 99-2441-52-03, 99-2441-62-03, 99-2441-72-03, 99-2443-52-04, 99-2443-62-04, 99-2443-72-04, 99-2445-52-05, 99-2445-62-05, 99-2445-63-05, 99-2445-72-05, 99-2445-73-05.

Female cable fittings, Series 714, Cat. Nos. 09-0440-010-04, 99-0440-016-04, 09-0440-000-04.

Inlets, Series 714, Cat. Nos. 09-0441-081-04, 09-0441-090-04.

Series 825, Cat. No. 09-5245-00-04.

Series 715, Cat. No. 09-5242-00-04.

Female cable fittings, Series 825, Cat. Nos. 99-3730-810-04, 99-3728-810-04, 99-3730-820-04, 99-3728-820-04, 09-5246-00-04.

Series 715, Cat. Nos. 99-1430-810-04, 99-1436-810-05, 99-1436-910-05, 99-1437-935-05, 99-1438-810-05, 99-1438-910-05, 99-1430-995-04, 99-1436-995-05, 99-1430-820-04, 99-1436-820-05, 99-1436-920-05, 99-1438-820-05, 99-0430-15-04, 99-0430-110-04, 99-0436-15-05, 99-0436-110-05, 99-0430-05-04, 99-0430-165-04, 99-0436-05-05, 99-0436-165-05.

Series 713, Cat. Nos. 99-0430-10-04, 99-0430-30-04, 99-0430-57-04, 99-0436-10-05, 99-0436-57-05, 99-0430-07-04, 99-0430-158-04, 99-0430-14-04, 99-0430-12-04, 99-0436-14-05, 99-0436-12-05, 99-0486-12-08, 99-0492-12-12, 99-0430-82-04, 99-0430-282-04, 99-0436-82-05, 99-0436-282-05, 99-0486-282-08, 99-0430-142-04, 99-0436-142-05, 99-0430-287-04, 99-0436-287-05, 99-0486-287-08, 99-0430-00-04, 99-0430-20-04, 99-0430-69-04, 99-0430-68-04, 99-0436-00-05, 99-0436-69-05, 99-0430-27-04, 99-0430-161-04, 99-0430-24-04, 99-0430-52-04, 99-0436-24-05, 99-0436-52-05, 99-0492-52-12, 99-0430-92-04, 99-0430-292-04, 99-0436-92-05, 99-0436-292-05, 99-1430-814-04, 99-1430-812-04, 99-1436-814-05, 99-1436-812-05, 99-1486-812-08, 99-1492-812-12, 99-1486-914-08, 99-1432-814-04, 99-1438-814-05, 99-1488-814-08, 99-1488-812-08, 99-1430-991-04, 99-1430-992-04, 99-1436-991-05, 99-1436-992-05, 99-1486-992-08, 99-1430-824-04, 99-1430-822-04, 99-1436-824-05, 99-1436-822-05, 99-1492-822-12, 99-1432-824-04, 99-1438-824-05.

Male cable fittings, Series 825, Cat. Nos. 99-3729-810-04, 99-3727-810-04, 99-3729-995-04, 99-3729-820-04, 99-3727-820-04, 09-5245-00-04.

Series 715, Cat. Nos. 99-1429-810-04, 99-1437-810-05, 99-1437-910-05, 99-1437-935-05, 99-1439-810-05, 99-1439-910-05, 99-1429-995-04, 99-1437-995-05, 99-1429-820-04, 99-1437-820-05, 99-1437-920-05, 99-1439-820-05, 99-0429-15-04, 99-0429-105-04, 99-0437-15-05, 99-0437-105-05, 99-0429-135-04, 99-0429-145-04, 99-0437-135-05, 99-0437-145-05, 09-5242-00-04.

Series 713, Cat. Nos. 99-0429-43-04, 99-0429-57-04, 99-0437-43-05, 99-0437-57-05, 99-0429-07-04, 99-0429-158-04, 99-0429-14-04, 99-0429-12-04, 99-0437-14-05, 99-0437-12-05, 99-0487-12-08, 99-0491-12-12, 99-0429-82-04, 99-0429-282-04, 99-0437-82-05, 99-0437-282-05, 99-0487-282-08, 99-0429-142-04, 99-0437-142-05, 99-0429-186-04, 99-0437-186-05, 99-0487-186-08, 99-0429-287-04, 99-0437-287-05, 99-0487-287-08, 99-0429-44-04, 99-0429-20-04, 99-0437-44-05, 99-0429-27-04, 99-0429-161-04, 99-0429-24-04, 99-0429-52-04, 99-0437-24-05, 99-0437-52-05, 99-0491-52-12, 99-0429-92-04, 99-0429-292-04, 99-0437-92-05, 99-0437-292-05, 99-0429-162-04, 99-0437-162-05, 99-0429-286-04, 99-0437-286-05, 99-1429-814-04, 99-1429-812-04, 99-1437-814-05, 99-1437-812-05, 99-1487-812-08, 99-1491-812-12, 99-1487-914-08, 99-1431-814-04, 99-1439-814-05

, 99-1489-814-08, 99-1489-812-08, 99-1429-991-04, 99-1429-992-04, 99-1437-991-05, 99-1437-992-05, 99-1487-992-08, 99-1429-824-04, 99-1429-822-04, 99-1437-824-05, 99-1437-822-05, 99-1491-822-12, 99-1431-824-04, 99-1439-824-05.

Outlet, Series 825, Cat. No. 09-5246-00-04.

Cable assemblies, Series 423. Female cable connector with cable clamp, shieldable, size: 4 - 6mm, 6 - 8mm. Female cable connector, short version size: 4-8 mm. Female cable connector with shielding ring, size: 4 - 6mm, 6 - 8mm, 8-10mm. Female angled connector, shieldable size: 4 - 6mm, 6 - 8mm. Female socket solder connector. Size : 2-24 pole. Male angled connector, shieldable size: 4 - 6mm, 6 - 8mm. Male cable connector with cable clamp, shieldable size: 4 - 6mm, 6 - 8mm. Male cable connector, short version size: 4-8 mm. Male cable connector with shielding ring, size: 4 - 6mm, 6 - 8mm, 8-10mm. Male socket solder connector. Size : 2-24 pole.

Female socket, solder connector front fastened, size: 2-24 pole.

Female socket, dip solder, front fastened, size: 2-24 pole.

Male socket, solder connector front fastened, size: 2-24 pole.

Male socket, dip solder, front fastened, size: 2-24 pole.

Marking: Company name and catalog designation and Recognized Component Mark for Canada on device or carton.

Last Updated on 2013-01-24

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".